

REPORT NO.
F99001-805
ACCOUNT NUMBER
00001

A & L GREAT LAKES LABORATORIES, INC.

3505 Conestoga Drive • Fort Wayne, Indiana 46808-4413 • Phone 260-483-4759 • Fax 260-483-5274
www.algreatlakes.com • lab@algreatlakes.com



TO: A & L GREAT LAKES LABORATORIES
3505 CONESTOGA DRIVE
FORT WAYNE, IN 46808

FOR: HERBICIDE SCREEN (1&2)
EXAMPLE REPORT

REPORT OF ANALYSIS

LAB NUMBER: 39791
SAMPLE ID: EXAMPLE

DATE SAMPLED: NONE GIVEN
DATE RECEIVED: 7/11/00
DATE REPORTED: 7/21/00 PAGE: 1

| PARAMETER | RESULT | UNIT | DETECTION LIMIT | ANALYST | ANALYSIS DATE | METHOD REFERENCE |
|------------------------------|--------|-------|-----------------|---------|---------------|---------------------|
| Alachlor (LASSO) | BDL* | mg/kg | 0.04 | SKP | 7/19/00 | FDA PAM 302/SPE/NPD |
| Atrazine | 0.01 | mg/kg | 0.01 | SKP | 7/19/00 | FDA PAM 302/SPE/NPD |
| Cyanazine (BLADEX) | BDL* | mg/kg | 0.02 | SKP | 7/18/00 | FDA PAM 302/SPE/NPD |
| Metolachlor (DUAL) | 0.02 | mg/kg | 0.02 | SKP | 7/19/00 | FDA PAM 302/SPE/NPD |
| Prometon (PRAMITOL) | BDL* | mg/kg | 0.02 | SKP | 7/18/00 | FDA PAM 302/SPE/NPD |
| Prometryne | BDL* | mg/kg | 0.02 | SKP | 7/18/00 | FDA PAM 302/SPE/NPD |
| Propachlor | BDL* | mg/kg | 0.04 | SKP | 7/19/00 | FDA PAM 302/SPE/NPD |
| Propazine | BDL* | mg/kg | 0.02 | SKP | 7/19/00 | FDA PAM 302/SPE/NPD |
| Simazine (AQUAZINE, PRINCEP) | BDL* | mg/kg | 0.02 | SKP | 7/19/00 | FDA PAM 302/SPE/NPD |
| Ametryne | BDL* | mg/kg | 0.02 | SKP | 7/18/00 | FDA PAM 302/SPE/NPD |

* BDL - Below detection level of method utilized.